

# EURO PRICE LIST




## 01.01.2017




| MODEL                             | Ohm    | DESCRIPTION                                                                               | PRICE (€) | ORDER CODE |
|-----------------------------------|--------|-------------------------------------------------------------------------------------------|-----------|------------|
| <b>NEODYMIUM CONE TRANSDUCERS</b> |        |                                                                                           |           |            |
| <b>21" Neo</b>                    |        |                                                                                           |           |            |
| 21iD                              | 2      | 21" IPAL™ optimized neo subwoofer - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - DSS - SDR   | 1.080,00  | 022212N000 |
| 21NLW9601                         | 4/8    | 21" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - TSS - SDR    | 870,00    | 022218N010 |
| 21NLW9001                         | 4/8    | 21" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - DSS - SDR    | 770,00    | 022218N110 |
| 21NLW4000                         | 4/8    | 21" Extended LF Neodymium Driver - 4" vc - 1700W AES - 97dB@1W/1mt - ISV - Active Cooling | 710,00    | 022218N400 |
| <b>18" Neo</b>                    |        |                                                                                           |           |            |
| 18iD                              | 2      | 18" IPAL™ optimized neo subwoofer - 5.3" vc - 1800W AES - 98dB@1W/1mt - ISV - DSS - SDR   | 920,00    | 022182N01B |
| 18NLW9601                         | 4/8    | 18" Extended LF Neodymium Driver - 5.3" vc - 1800W AES - 97dB@1W/1mt - ISV - DSS - SDR    | 670,00    | 022188N010 |
| 18NLW4000                         | 4/8    | 18" Extended LF Neodymium Driver - 4" vc - 1700W AES - 95dB@1W/1mt - ISV - Active Cooling | 610,00    | 022188N400 |
| 18NLW9400                         | 4/8    | 18" Extended LF Neodymium Driver - 4" vc - 1200W AES - 98dB@1W/1mt - ISV - DSS            | 450,00    | 022188N940 |
| <b>15" Neo</b>                    |        |                                                                                           |           |            |
| 15NLW9500                         | 4/8    | 15" Extended LF Neodymium Driver - 4" vc - 1000W AES - 96dB@1W/1mt - ISV - DSS - DDR      | 440,00    | 022158N140 |
| 15NLW9401                         | 4/8    | 15" Extended LF Neodymium Driver - 4" vc - 1200W AES - 97,5dB@1W/1mt - ISV - DSS          | 410,00    | 022158N940 |
| 15NLW9300                         | 8      | 15" Extended LF Neodymium Driver - 4" vc - 1000W AES - 97dB@1W/1mt - ISV - DSS - DDR      | 380,00    | 022158N160 |
| 15ND930                           | 4/8/16 | 15" Extended LF Neodymium Driver - 3" vc - 500W AES - 98dB@1W/1mt - DDR                   | 308,00    | 022158N220 |
| 15ND830                           | 4/8    | 15" LF Neodymium Driver - 3" vc - 450W AES - 98dB@1W/1mt - ISV                            | 288,00    | 022158N210 |
| <b>12" Neo</b>                    |        |                                                                                           |           |            |
| 12NLW9300                         | 8      | 12" Extended LF Neodymium Driver - 4" vc - 800W AES - 98dB@1W/1mt - ISV - DSS - DDR       | 360,00    | 022128N110 |
| 12ND930                           | 8      | 12" LF Neodymium Driver - 3" vc - 500W AES - 98dB@1W/1mt - ISV - SDR                      | 300,00    | 022128N220 |
| 12ND830                           | 4/8    | 12" LF Neodymium Driver - 3" vc - 450W AES - 99dB@1W/1mt - ISV                            | 290,00    | 022128N210 |
| 12ND610                           | 8/16   | 12" Very High Output MB Neodymium Driver - 3" vc - 450W AES - 102dB@1W/1mt - ISV          | 354,00    | 022128N610 |
| 12NMB420                          | 8      | 12" MB Neodymium Driver - 2.5" vc - 300W AES - 100,5dB@1W/1mt - ISV - SDR                 | 238,00    | 022128N310 |
| <b>10" Neo</b>                    |        |                                                                                           |           |            |
| 10NDA610                          | 8      | 10" High Output Midrange Neodymium Driver - 3" vc - 400W AES - 103dB@1W/1mt - ISV - AIC   | 398,00    | 022108N210 |
| 10NMB420                          | 8/16   | 10" High Output MB Neodymium Driver - 2.5" vc - 350W AES - 99dB@1W/1mt - ISV - SDR        | 232,00    | 022108N400 |
| 10NW650                           | 8/16   | 10" Low Frequency Neodymium Driver - 2.5" vc - 300W AES - 96dB@1W/1mt - ISV               | 198,00    | 022108N650 |
| <b>8" Neo</b>                     |        |                                                                                           |           |            |
| 8NMB750                           | 8/16   | 8" MB Neodymium Driver - 3" vc - 350W AES - 94dB@1W/1mt - ISV - SDR                       | 258,00    | 022086N700 |
| 8NW650                            | 8/16   | 8" LF Neodymium Driver - 2.5" vc - 300W AES - 96dB@1W/1mt - ISV                           | 182,00    | 022088N650 |
| 8NMB420                           | 4/8/16 | 8" MB Neodymium Driver - 2" vc - 280W AES - 95dB@1W/1mt - ISV - SDR                       | 166,00    | 022088N400 |
| <b>6" Neo</b>                     |        |                                                                                           |           |            |
| 6ND430                            | 4/8/16 | 6" LF Neodymium Driver - 1.75" vc - 200W AES - 92,5dB@1W/1mt                              | 140,00    | 022068N430 |
| 6NMB420                           | 8/16   | 6" MB Neodymium Driver - 1.75" vc - 200W AES - 100dB@1W/1mt - SDR                         | 150,00    | 022068N440 |
| 6ND410                            | 8/16   | 6" High Output Midrange Neodymium Driver - 1.75" vc - 180W AES - 102dB@1W/1mt - EWAL      | 140,00    | 022068N510 |
| <b>FERRITE CONE TRANSDUCERS</b>   |        |                                                                                           |           |            |
| <b>21"</b>                        |        |                                                                                           |           |            |
| 21LW2500                          | 4/8    | 21" Extended LF Driver - 4" vc - 1700W AES - 97dB@1W/1mt - ISV - Active Cooling           | 650,00    | 0222182500 |
| 21LW1400                          | 8      | 21" Extended LF Driver - 4" vc - 1500W AES - 99dB@1W/1mt - ISV - DSS - DDR                | 560,00    | 0222183110 |
| <b>18"</b>                        |        |                                                                                           |           |            |
| 18TLW3000                         | 4/8    | 18" Extended LF Driver - 4" vc - 1800W AES - 95dB@1W/1mt - ISV - TTV 4" double voice coil | 508,00    | 0221883000 |
| 18LW2500                          | 4/8    | 18" Extended LF Driver - 4" vc - 1600W AES - 95dB@1W/1mt - ISV - Active Cooling           | 560,00    | 0221882500 |




| MODEL                                       | Ohm    | DESCRIPTION                                                                                                                     | PRICE (€) | ORDER CODE |
|---------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------|-----------|------------|
| <b>FERRITE CONE TRANSDUCERS - continued</b> |        |                                                                                                                                 |           |            |
| 18LW2400                                    | 4/8    | 18" Extended LF Driver - 4" vc - 1200W AES - 98dB@1W/1mt - ISV - DSS - DDR                                                      | 360,00    | 0221882400 |
| 18LW1400                                    | 4/8    | 18" Extended LF Driver - 4" vc - 1000W AES - 98dB@1W/1mt - ISV - DSS - DDR                                                      | 350,00    | 0221883110 |
| 18LW1250                                    | 8      | 18" Extended LF Driver - 4" vc - 1000W AES - 98dB@1W/1mt - ISV - DSS                                                            | 340,00    | 0221883150 |
| 18W2000                                     | 8      | 18" Extended LF Driver - 4" vc - 1200W AES - 99dB@1W/1mt - ISV - DSS                                                            | 318,00    | 0221882000 |
| <b>15"</b>                                  |        |                                                                                                                                 |           |            |
| 15LW2400                                    | 4/8    | 15" Extended LF Driver - 4" vc - 1200W AES - 97dB@1W/1mt - ISV - DSS - DDR                                                      | 330,00    | 0221582400 |
| 15LW1401                                    | 4/8    | 15" Extended LF Driver - 4" vc - 1000W AES - 98dB@1W/1mt - ISV - DSS - DDR                                                      | 320,00    | 0221583120 |
| 15MB1000                                    | 8      | 15" Mid Bass Driver - 4" vc - 850W AES - 98dB@1W/1mt - ISV                                                                      | 312,00    | 0221585100 |
| 15W930                                      | 8      | 15" Extended LF Driver - 3" vc - 500W AES - 98dB@1W/1mt - ISV - SDR                                                             | 250,00    | 0221589310 |
| 15W750                                      | 4/8    | 15" LF Driver - 3" vc - 600W AES - 98dB@1W/1mt - ISV                                                                            | 234,00    | 022158900  |
| 15W700                                      | 4/8    | 15" LF Driver - 3" vc - 450W AES - 99dB@1W/1mt - ISV                                                                            | 220,00    | 0221584210 |
| 15W500                                      | 8      | 15" LF Driver - 3" vc - 350W AES - 100,5dB@1W/1mt - ISV                                                                         | 174,00    | 0221584310 |
| 15MB700                                     | 8      | 15" Very High Output MB Driver - 3" vc - 400W AES - 103dB@1W/1mt - ISV                                                          | 232,00    | 0221585220 |
| 15MB606                                     | 8      | 15" Very High Output MB Driver - 3" vc - 400W AES - 101dB@1W/1mt - ISV                                                          | 198,00    | 0221585230 |
| <b>12"</b>                                  |        |                                                                                                                                 |           |            |
| 12LW1400                                    | 8      | 12" Extended LF Driver - 4" vc - 900W AES - 96dB@1W/1mt - ISV - DSS - DDR                                                       | 310,00    | 0221283110 |
| 12MB1000                                    | 8      | 12" High Output MB Driver - 4" vc - 600W AES - 102dB@1W/1mt                                                                     | 260,00    | 0221285110 |
| 12W750                                      | 4/8/16 | 12" LF Driver - 3" vc - 600W AES - 97dB@1W/1mt - ISV                                                                            | 224,00    | 0221289000 |
| 12W700                                      | 8      | 12" LF Driver - 3" vc - 450W AES - 98dB@1W/1mt - ISV                                                                            | 220,00    | 0221284210 |
| 12MB700                                     | 8/16   | 12" Very High Output MB Driver - 3" vc - 450W AES - 101,5dB@1W/1mt - ISV - DDR                                                  | 228,00    | 0221285220 |
| 12MB600                                     | 4/8    | 12" Very High Output MB Driver - 3" vc - 450W AES - 101dB@1W/1mt - ISV                                                          | 204,00    | 0221285210 |
| 12MB650                                     | 8      | 2" MB Driver - 400W AES - 2.5" aluminum vc - 98dB@1W/1mt - EWAL                                                                 | 198,00    | 0221284200 |
| 12W500                                      | 4/8    | 12" LF Driver - 2.5" vc - 350W AES - 99,5dB@1W/1mt - ISV                                                                        | 156,00    | 0221284310 |
| <b>10"</b>                                  |        |                                                                                                                                 |           |            |
| 10MB600                                     | 8/16   | 10" High Output MB Driver - 3" vc - 450W AES - 98dB@1W/1mt - ISV                                                                | 202,00    | 0221085210 |
| 10M600                                      | 8      | 10" Very High Output MB Driver - 3" vc - 400W AES - 102dB@1W/1mt                                                                | 202,00    | 0221087210 |
| 10W500                                      | 8      | 10" LF Driver - 2" vc - 280W AES - 98dB@1W/1mt - ISV                                                                            | 154,00    | 0221084310 |
| <b>8"</b>                                   |        |                                                                                                                                 |           |            |
| 8MB500                                      | 4/8/16 | 8" MB Driver - 2" vc - 280W AES - 95dB@1W/1mt - ISV                                                                             | 132,00    | 0220889000 |
| 8M400                                       | 8      | 8" High Output MB Driver - 2" vc - 250W AES - 100,5dB@1W/1mt - ISV                                                              | 138,00    | 0220887410 |
| <b>5"</b>                                   |        |                                                                                                                                 |           |            |
| 5W430                                       | 8      | 5" LF Driver - 1" vc - 120W AES - 98dB@1W/1mt                                                                                   | 58,00     | 0220584301 |
| <b>COAXIALS</b>                             |        |                                                                                                                                 |           |            |
| <b>Neodymium</b>                            |        |                                                                                                                                 |           |            |
| 15NCX1000                                   | 8      | 15"/1,5" Ultra High Output Coaxial - 4" LF / 4" HF vc - 1600W / 260W program - 96.5/ 106.5 dB@1W/1mt - ISV - SDR - EWAL         | 1.100,00  | 022158NC20 |
| 15NCX750                                    | 8      | 15"/1,4" High Output Coaxial - 3" LF / 2.4" HF vc - 800W / 240W program - 98 / 107 dB@1W/1mt - ISV - SDR                        | 598,00    | 022158NC00 |
| 15NCX750H                                   | 8      | 15NCX750 equipped with 70°x50° elliptical horn                                                                                  | 618,00    | 022158NCH0 |
| 12NCX750                                    | 8      | 12"/1,4" High Output Coaxial - 3" LF / 2.4" HF vc - 800W / 240W program - 97 / 106.5 dB@1W/1mt - ISV - SDRdB@1W/1mt - ISV - SDR | 568,00    | 022128NC00 |
| 12NCX750H                                   | 8      | 12NCX750 equipped with 70°x50° elliptical horn                                                                                  | 588,00    | 022128NCH0 |
| <b>Ferrite</b>                              |        |                                                                                                                                 |           |            |
| 10CX650                                     | 8      | 10"/1" High Output Coaxial - 2.5" LF / 1.75" HF vc - 400W / 140W program - 92.5 / 105.5 dB@1W/1mt - ISV - EWAL                  | 340,00    | 022108CX00 |
| 8CX650                                      | 8      | 8"/1" High Output Coaxial - 2.5" LF / 1.75" HF vc - 400W / 140W program - 92.5 / 105.5 dB@1W/1mt - ISV - EWAL                   | 290,00    | 022088CX00 |
| 8CX401F                                     | 8      | 8"/1" High Output Coaxial - 2" LF / 1" HF vc - 280W / 25W AES - 95 / 106 dB@1W/1mt - ISV - EWAL                                 | 258,00    | 022088CX20 |
| <b>Crossover</b>                            |        |                                                                                                                                 |           |            |
| XOVER 15NCX750                              | 8      | Crossover network for 15NCX750H and 15NCX750 - HF dynamic protection network                                                    | 110,00    | 03715XCR00 |
| XOVER 12NCX750                              | 8      | Crossover network for 12NCX750H and 12NCX750 - HF dynamic protection network                                                    | 100,00    | 03712XCR00 |

| MODEL                                          | Ohm  | DESCRIPTION                                                                                                       | PRICE (€) | ORDER CODE |
|------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------|-----------|------------|
| <b>NEODYMIUM COMPRESSION DRIVERS</b>           |      |                                                                                                                   |           |            |
| <b>2" Neo CD</b>                               |      |                                                                                                                   |           |            |
| ND2080                                         | 8/16 | 2" exit HF Neo Driver - 3" vc - 200W program power - 110dB@1W/1mt - Titanium diaphragm - EWAL                     | 420,00    | 042108N280 |
| ND2060                                         | 8/16 | 2" exit HF Neo Driver - 3" vc - 200W program power - 109dB@1W/1mt - Titanium diaphragm - EWAL                     | 320,00    | 042108N260 |
| ND2060A                                        | 8/16 | 2" exit HF Neo Driver - 3" vc - 160W program power - 110dB@1W/1mt - Aluminum dome - EWAL                          | 330,00    | 0423A8M600 |
| <b>1.5" Neo CD*</b>                            |      |                                                                                                                   |           |            |
| ND4015BE                                       | 8    | 1.5" exit neo HF driver - 4" vc - 200W program power - 113 dB@1W/1mt - Beryllium diaphragm - EWAL                 | 1.600,00  | 0424B8N000 |
| NSD4015N                                       | 8    | 1.5" exit neo HF driver - 4" vc - 320W program power - 111 dB@1W/1mt - treated Titanium diaphragm (TPM) - EWAL    | 600,00    | 0424N8N000 |
| ND4015Ti2                                      | 8    | 1.5" exit neo HF driver - 4" vc - 320W program power - 111 dB@1W/1mt - Titanium diaphragm - EWAL                  | 500,00    | 0424T8N200 |
| *2" and 1,4" exit version available on request |      |                                                                                                                   |           |            |
| <b>1.4" Neo CD</b>                             |      |                                                                                                                   |           |            |
| ND3ST                                          | 8/16 | 1,4" exit HF Neo Driver - 3" vc - 240W max program power - 112dB@1W/1mt - Titanium diaphragm - EWAL               | 430,00    | 0423T8N400 |
| ND3T                                           | 8/16 | 1,4" exit HF Neo Driver - 3" vc - 220W max program power - 112dB@1W/1mt - Titanium diaphragm - EWAL               | 390,00    | 0423T8N300 |
| NSD1480N                                       | 8/16 | 1,4" exit HF Neo Driver - 3" vc - 200W program power - 111dB@1W/1mt - Treated Titanium diaphragm - EWAL           | 460,00    | 0422T8N610 |
| ND1480                                         | 8/16 | 1,4" exit HF Neo Driver - 3" vc - 200W program power - 110dB@1W/1mt - Titanium diaphragm - EWAL                   | 400,00    | 042108N210 |
| ND1480A                                        | 8/16 | 1,4" exit HF Neo Driver - 3" vc - 160W program power - 111dB@1W/1mt - Aluminum dome - EWAL                        | 410,00    | 0422A8N600 |
| ND1460                                         | 8/16 | 1,4" exit HF Neo Driver - 3" vc - 200W program power - 109dB@1W/1mt - Titanium diaphragm - EWAL                   | 300,00    | 042108N200 |
| ND1460A                                        | 8/16 | 1,4" exit HF Neo Driver - 3" vc - 160W program power - 110dB@1W/1mt - Aluminum dome - EWAL                        | 310,00    | 0422A8M600 |
| NSD1424BTN                                     | 8/16 | 1,4" exit HF Neo Driver - 2.5" vc - 140W program power - 110dB@1W/1mt - Treated Titanium diaphragm - EWAL         | 310,00    | 0422N8M900 |
| ND1424BT                                       | 8/16 | 1,4" exit HF Neo Driver - 2.5" vc - 140W program power - 109dB@1W/1mt - Titanium diaphragm - EWAL                 | 262,00    | 0422T8M900 |
| <b>1" Neo CD</b>                               |      |                                                                                                                   |           |            |
| NSD1095N                                       | 8/16 | 1" exit HF Neo Driver - 1.75" vc - 100W program power - 110dB@1W/1mt - Treated Titanium diaphragm - EWAL          | 208,00    | 0421T8N410 |
| ND1090                                         | 8/16 | 1" exit HF Neo Driver - 1.75" vc - 100W program power - 110dB@1W/1mt - Titanium - PEN                             | 180,00    | 0421T8N400 |
| ND1085                                         | 8    | 1" exit HF Neo Driver - 1.75" vc - 80W program power - 110dB@1W/1mt - PEN                                         | 180,00    | 0421P8N400 |
| ND1070                                         | 8/16 | 1" exit HF Neo Driver - 1.75" vc - 100W program power - 109dB@1W/1mt - Titanium - PEN diaphragm                   | 170,00    | 0421T8M400 |
| ND1018BT                                       | 8    | 1" exit HF Neo Driver - 1.75" vc - 100W program power - 108dB@1W/1mt - Titanium - PEN                             | 154,00    | 0421T8M430 |
| ND1050                                         | 8/16 | 1" exit HF Neo Driver - 1.75" vc - 90W program power - 109,5dB@1W/1mt - Titanium - PEN                            | 178,00    | 0421T8N500 |
| ND1030                                         | 8    | 1" exit HF Neo Driver - 1.3" vc - 60W program power - 107dB@1W/1mt - Titanium Diaphragm                           | 98,00     | 0421T8M800 |
| <b>FERRITE COMPRESSION DRIVERS</b>             |      |                                                                                                                   |           |            |
| <b>2" CD</b>                                   |      |                                                                                                                   |           |            |
| HD2080T                                        | 8    | 2" exit HF Driver - 3" vc - 200W program power - 109dB@1W/1mt - Titanium PEN - EWAL                               | 262,00    | 0423A8H610 |
| HD2020                                         | 8    | 2" exit HF Driver - 2.4" vc - 140W program power - 108dB@1W/1mt - Titanium diaphragm - EWAL                       | 230,00    | 0423T8H220 |
| <b>1,4" CD</b>                                 |      |                                                                                                                   |           |            |
| HD1480T                                        | 8    | 1,4" exit HF Driver - 3" vc - 200W program power - 109dB@1W/1mt - Titanium PEN - EWAL                             | 262,00    | 0422T8H610 |
| HD2000                                         | 8    | 1,4" exit HF Driver - 2.4" vc - 140W program power - 108dB@1W/1mt - Titanium diaphragm - EWAL                     | 210,00    | 0421T8H200 |
| <b>1" CD</b>                                   |      |                                                                                                                   |           |            |
| HD1000                                         | 8    | 1" exit HF Driver - 1.75" vc - 100W program power - 107dB@1W/1mt - Titanium dome - EWAL - 100mm OD compact design | 128,00    | 0421081000 |
| HD1050                                         | 8    | 1" exit HF Driver - 1.75" vc - 100W program power - 107dB@1W/1mt - Titanium dome - EWAL                           | 118,00    | 0421081050 |
| HD1040                                         | 8/16 | 1" exit HF Driver - 1.75" vc - 80W program power - 107dB@1W/1mt - PEN diaphragm - EWAL                            | 118,00    | 0421081040 |
| HD1030                                         | 8    | 1" exit HF Driver - 1.3" vc - 60W program power - 106dB@1W/1mt - Titanium diaphragm - EWAL                        | 78,00     | 0421M8H810 |
| HD125                                          | 8/16 | 1" exit HF Driver - 1" vc - 50W program power - 110dB@1W/1mt - Polyester diaphragm - EWAL                         | 56,00     | 0421M8H100 |
| XD125                                          | 8/16 | 1" exit HF Transducer - 1" vc - composed by a HD125 driver assembled on a XT120 horn - EWAL                       | 76,00     | 0421M8X100 |
| <b>LINE ARRAY WAVE GUIDE</b>                   |      |                                                                                                                   |           |            |
| XG14                                           |      | 1.4" entry waveguide - 110° H x 10° V - Diecast aluminum construction                                             | 65,00     | 042XG14H00 |
| XG10                                           |      | 1" entry waveguide - 110° H x 10° V - Diecast aluminum construction                                               | 58,00     | 042XG10H00 |

| MODEL                          | Ohm | DESCRIPTION                                                                                              | PRICE (€) | ORDER CODE |
|--------------------------------|-----|----------------------------------------------------------------------------------------------------------|-----------|------------|
| <b>CONSTANT COVERAGE HORNS</b> |     |                                                                                                          |           |            |
| XR2064C                        | --- | Constant Coverage HF horn - 2" entry - 60° H x 40° V - DI factor 11dB - Composite body                   | 90,00     | 0422064C00 |
| XR1496C                        | --- | Constant Coverage HF horn - 1,4" entry - 90° H x 60° V - DI factor 9dB - Composite body                  | 85,00     | 0421496C00 |
| XR1464C                        | --- | Constant Coverage rotatable HF horn - 1,4" entry - 60° H x 40° V - DI factor 11dB - Composite body       | 75,00     | 0421464C00 |
| XT1464                         | --- | Constant Coverage HF horn - 1,4" entry - 60° H x 50° V - DI factor 18dB - Elliptical shape               | 48,00     | 0421464000 |
| XR1064                         | --- | Constant Coverage rotatable HF horn - 1" entry - 60° H x 40° V - DI factor 12dB - Aluminum body          | 65,00     | 0421064010 |
| XT1086                         | --- | Constant Coverage HF horn - 1" entry - 80° H x 60° V - DI factor 15dB - elliptical shape - Aluminum body | 56,00     | 0421086000 |
| XT120                          | --- | Constant Coverage HF horn - 1" entry - 90° H x 60° V - DI factor 15dB - elliptical shape                 | 22,00     | 042108XT10 |

-  TTC: Tetracoil Double Voice Coil
-  ISV: Interleaved Sandwich Voice Coil
-  EWAL: EdgeWound Aluminum Voice Coil

-  DSS: Double Silicon Spider
-  TSS: Triple Silicon Spider
-  DDR: Double Demodulating Ring

-  SDR: Single Demodulating Ring
-  AIC: Active Impedance Control
-  iD: Class D

**For all versions with impedance different than 8 ohm a MOQ is requested: please contact us for more details. All prices exclude VAT.**