

PRO SPEAKERS								
ARTICLE	Aimant	Application	Nom diam, Voice coil diam, Max Power, Sens.2,83V@1m, rated Imped.			UM	PRIX TTC Public	Expedition box
18"								
NDH18-4S	Neo	Subwoofer	18"- 450 mm, V.C.100 mm, 2000 W, 97 dB, 30-200 Hz, 8 ohm			4 ohm avail. Unit	€ 588,00	1
18.00SW	Ceramic	Subwoofer	18"- 450 mm, V.C.100 mm, 2000 W, 93 dB, 20-200 Hz, 8 ohm			4 ohm avail. Unit	€ 576,00	1
PW455	Ceramic	Woofers	18"- 450 mm, V.C.100 mm, 1000 W, 100 dB, 35-1200 Hz, 8 ohm			4 ohm avail. Unit	€ 444,00	1
15"								
NDH15-4S	Neo	Subwoofer	15"- 380 mm, V.C.100 mm, 2000 W, 96 dB, 30-500 Hz, 8 ohm			Unit	€ 540,00	1
15.00SW	Ceramic	Subwoofer	15"- 380 mm, V.C.100 mm, 2000 W, 93 dB, 20-200 Hz, 8 ohm			4 ohm avail. Unit	€ 456,00	1
PW396	Ceramic	Woofers	15"- 380 mm, V.C.75 mm, 800 W, 99 dB, 35-2000 Hz, 8 ohm			4 ohm avail. Unit	€ 317,00	1
NEW PWA15.75	Ceramic	Woofers	15"- 380 mm, V.C.75 mm, 1000 W, 98 dB, 40-3000 Hz, 8 ohm			Unit	€ 216,00	2
12"								
NDI12.50W	Neo	Woofers	12"- 320 mm, V.C.50 mm, 450 W, 97,5 dB, 50-4000 Hz, 8 ohm			4 ohm avail. Unit	€ 260,00	1
12.00SW	Ceramic	Subwoofer	12"- 320 mm, V.C.100 mm, 2000 W, 89,5 dB, 30-2000 Hz, 8 ohm			4 ohm avail. Unit	€ 406,00	1
12.75LW	Ceramic	Subwoofer	12"- 320 mm, V.C.75 mm, 800 W, 94,5 dB, 35-2000 Hz, 4+4 ohm,			2+2 ohm avail. Unit	€ 268,00	1
12.75W1	Ceramic	Woofers	12"- 320 mm, V.C.75 mm, 600 W, 98 dB, 45-2000 Hz, 8 ohm			4 ohm avail. Unit	€ 257,00	1
NEW PWA12.75	Ceramic	Woofers	12"- 320 mm, V.C.75 mm, 900 W, 97,1 dB, 50-3000 Hz, 8 ohm			Unit	€ 193,00	1
NEW PWA12.64	Ceramic	Woofers	12"- 320 mm, V.C.64 mm, 600 W, 97,8 dB, 50-3000 Hz, 8 ohm			4 ohm avail. Unit	€ 166,00	1
FXI12.50W	Ceramic	Woofers	12"- 320 mm, V.C.50 mm, 450 W, 97,5 dB, 50-4000 Hz, 8 ohm			4 ohm avail. Unit	€ 260,00	1
10"								
NDI10.50W	Neo	Woofers	10"- 250 mm, V.C.50 mm, 450 W, 95,5 dB, 50-4000 Hz, 8 ohm			4 ohm avail. Unit	€ 210,00	1
PW257	Ceramic	Woofers	10"- 250 mm, V.C.75 mm, 800 W, 96 dB, 50-3000 Hz, 8 ohm			Unit	€ 238,00	2
NEW PWA10.64	Ceramic	Woofers	10"- 250 mm, V.C.64 mm, 600 W, 97,5 dB, 60-4000 Hz, 8 ohm			4 ohm avail. Unit	€ 146,00	3
PW252	Ceramic	Woofers	10"- 250 mm, V.C.50 mm, 400 W, 97 dB, 45-3000 Hz, 8 ohm			Unit	€ 170,00	2
FXI10.50W	Ceramic	Woofers	10"- 250 mm, V.C.50 mm, 450 W, 96 dB, 50-4500 Hz, 8 ohm			Unit	€ 161,00	1
NEW PWA10.50	Ceramic	Woofers	10"- 250 mm, V.C.50 mm, 500 W, 97 dB, 50-2000 Hz, 8 ohm			4 ohm avail. Unit	€ 112,00	2
8"								
NDI8.50W	Neo	Woofers	8"- 200 mm, V.C.50 mm, 450 W, 96 dB, 70-5500 Hz, 8 ohm			4 ohm avail. Unit	€ 187,00	4
FXI8.50W	Ceramic	Woofers	8"- 200 mm, V.C.50 mm, 450 W, 96,5 dB, 70-5500 Hz, 8 ohm			4 ohm avail. Unit	€ 122,00	1
NEW PWA8.50	Ceramic	Woofers	8"- 200 mm, V.C.50 mm, 500 W, 95 dB, 70-2500 Hz, 8 ohm			4 ohm avail. Unit	€ 106,00	5
PM203	Ceramic	Extended Range	8"- 200 mm, V.C.50 mm, 300 W, 94 dB, 60-5000 Hz, 8 ohm			Unit	€ 120,00	4
PM200N	Ceramic	Extended Range	8"- 200 mm, V.C.38 mm, 250 W, 94 dB, 80-6000 Hz, 8 ohm			4 ohm avail. Unit	€ 103,00	4
6,5"								
NDI6.50W	Neo	Woofers	6,5"- 165 mm, V.C.50 mm, 450 W, 93,5 dB, 80-4500 Hz, 8 ohm			4 ohm avail. Unit	€ 162,00	6
NDI6.38MR	Neo	Midrange	6,5"- 165 mm, V.C.38 mm, 300 W, 96,5 dB, 150-4500 Hz, 8 ohm			Unit	€ 148,00	6
FXI6.50W	Ceramic	Woofers	6,5"- 165 mm, V.C.50 mm, 450 W, 92,5 dB, 80-4500 Hz, 8 ohm			Unit	€ 119,00	1
PM160	Ceramic	Extended Range	6,5"- 165 mm, V.C.38 mm, 200 W, 93 dB, 80-8000 Hz, 8 ohm			Unit	€ 94,00	6
NEW PWA6.38	Ceramic	Woofers	6,5"- 165 mm, V.C.38 mm, 300 W, 90,5 dB, 80-7000 Hz, 4 ohm			Unit	€ 85,00	7
5"								
NEW PWA5.38	Ceramic	Woofers	5"- 130 mm, V.C.38 mm, 250 W, 91 dB, 70-6000 Hz, 8 ohm			Unit	€ 82,00	12
4"								
PA101	Ceramic	Extended Range	4"- 100 mm, V.C.25 mm, 120 W, 88,5 dB, 150-20000 Hz, 16 ohm			Unit	€ 56,00	12
PA100	Ceramic	Extended Range	4"- 100 mm, V.C.25 mm, 80 W, 89 dB, 70-18000 Hz, 8 ohm			Unit	€ 53,00	12
3,5"								
PA087	Ceramic	Extended Range	3"- 87 mm, V.C.25 mm, 80 W, 88 dB, 80-16000 Hz, 8 ohm			Unit	€ 41,00	12
3"								
NEW NDI3.21	Neo	Full-range	3"- 75 mm, V.C.20 mm, 50 W, 87 dB, 80-20000 Hz, 8 ohm			Unit	A venir	12
NEW NDI3.25	Neo	Full-range	3"- 75 mm, V.C.25 mm, 80 W, 86 dB, 70-20000 Hz, 8 ohm			Unit	A venir	12
NEW FXI3.21	Ceramic	Full-range	3"- 75 mm, V.C.20 mm, 50 W, 88 dB, 80-20000 Hz, 8 ohm			Unit	A venir	12

2,5"													
	PA065	Ceramic	Extended Range	2,5"- 65 mm, V.C.14 mm, 30 W, 88 dB, 120-16000 Hz, 8 ohm						Unit	€	24,00	12
HF DRIVER													
NEW	CT440	Neo	Horn Tweeter	112X112 mm, V.C.44 mm, 150 W, 110 dB, 2000-20000 Hz, 8 ohm,						Unit	€	214,00	6
NEW	PNDA1	Neo	HF Driver	1"- 25,4 mm throat diameter, V.C.44 mm, 100 W, 110 dB, 1700-20000 Hz, 8 ohm						Unit	€	150,00	6
NEW	PT268ND	Neo	Horn Tweeter	1"- 26 mm, V.C.26 mm, 250 W, 105 dB, 4000-20000 Hz, 8 ohm			4 ohm avail.			Unit	€	76,00	6
	PT262	Ceramic	Horn Tweeter	1"- 26 mm, V.C.26 mm, 200 W, 105 dB, 3000-20000 Hz, 8 ohm			4 ohm avail.			Unit	€	76,00	6
	PT252	Ceramic	Horn Tweeter	1"- 26 mm, V.C.25 mm, 200 W, 105 dB, 3000-16000 Hz, 8 ohm						Unit	€	71,00	6
COAXIAL NEO TRANSDUCER													
	CXPA-6	Neo	Coaxial	6,5"- 165 mm, V.C.50/25 mm, 360/50 W, 93/94 dB, 80-20000 Hz, 8/4 ohm						Unit	€	276,00	6
	CXPA-5	Neo	Coaxial	5"- 130 mm, V.C.38/20 mm, 250/20 W, 92/91 dB, 100-20000 Hz, 8/4 ohm,						Unit	€	204,00	12
	CXPA-4	Neo	Coaxial	4"- 100 mm, V.C.38/20 mm, 250/20 W, 87,5/92 dB, 150-20000 Hz, 8/4 ohm.						Unit	€	180,00	12
HORNS													
	PR614		Horn	1,4"- 36 mm, 60°x40°, 800 Hz min, Alluminio 330x209x h191 mm						Unit	€	120,00	1
CROSSOVERS													
	PF203		Crossover	Crossover 2v. 2kHz 8 Ohm 600W						Pair	€	142,00	1
	PF204		Crossover	Crossover 2v. 2kHz 4+8 Ohm 600W						Pair	€	154,00	1
	PF205		Crossover	Crossover 2v. 2,4 kHz assim. 1000W						Pair	€	228,00	1
	PF206		Crossover	Crossover 2v. 2,4 kHz assim. 1000W						Pair	€	247,00	4
	PF209		Crossover	Crossover 2v. 5kHz 8 Ohm 500W						Pair	€	104,00	4
	PF210		Crossover	Crossover 2v. 5kHz 4+8 Ohm 600W						Pair	€	114,00	4

HI-FI SPEAKERS

ARTICLE	Application	Nom diam, Voice coil diam, Max Power, Sens.2,83V@1m, rated Imped.	UM	PRIX TTC Public	Expedition box				
12" WOOFER									
NEW	HSB322	Ceramic	Subwoofer	12"- 320 mm, V.C.75 mm, 800 W, 92,5 dB, 35-2000 Hz, 4+4 ohm, 2+2 ohm avail.		Unit	€	250,00	1
	HW321	Ceramic	Woofer	12"- 320 mm, V.C.50 mm, 400 W, 93 dB, 25-2500 Hz, 8 ohm		Unit	€	218,00	1
	HW320	Ceramic	Woofer	12"- 320 mm, V.C.38 mm, 240 W, 92 dB, 20-1200 Hz, 8 ohm		Unit	€	173,00	1
10" WOOFER									
	HS251	Ceramic	Subwoofer	10"- 250 mm, V.C.50 mm, 200+200 W, 89 dB, 25-600 Hz, 8+8 ohm		Unit	€	202,00	6
	HW251N	Ceramic	Woofer	10"- 250 mm, V.C.38 mm, 240 W, 91 dB, 25-2500 Hz, 8 ohm		Unit	€	194,00	4
	HW250	Ceramic	Woofer	10"- 250 mm, V.C.32 mm, 180 W, 90 dB, 20-2000 Hz, 8 ohm		Unit	€	110,00	4
8" WOOFER									
	HSG200	Ceramic	Subwoofer	8"- 200 mm, V.C.75 mm, 700 W, 88 dB, 35-2500 Hz, 4+4 ohm, 2+2 ohm avail.		Unit	€	234,00	1
NEW	HWB205	Ceramic	Woofer	8"- 200 mm, V.C.50 mm, 400 W, 91 dB, 30-4000 Hz, 8 ohm		Unit		A venir	1
	HWB200	Ceramic	Woofer	8"- 200 mm, V.C.38 mm, 260 W, 90 dB, 30-5000 Hz, 8 ohm 4 ohm avail.		Unit	€	127,00	1
	CW202	Ceramic	Woofer	8"- 200 mm, V.C.38 mm, 240 W, 90 dB, 35-3500 Hz, 4 ohm		Unit	€	109,00	4
	HW202	Ceramic	Woofer	8"- 200 mm, V.C.32 mm, 180 W, 90 dB, 30-2000 Hz, 8 ohm		Unit	€	85,00	4
	HW203	Ceramic	Woofer	8"- 200 mm, V.C.32 mm, 180 W, 91 dB, 45-3500 Hz, 8 ohm		Unit	€	102,00	4
	HW210	Ceramic	Woofer	8"- 200 mm, V.C.25 mm, 150 W, 90 dB, 30-6000 Hz, 8 ohm		Unit	€	61,00	4
6,5" WOOFER									
	HWG160	Ceramic	Woofer	6,5"- 165 mm, V.C.38 mm, 260 W, 91 dB, 45-10000 Hz, 8 ohm, 4 ohm avail.		Unit	€	178,00	1
	HSG160	Ceramic	Subwoofer	6,5"- 165 mm, V.C.50 mm, 450 W, 88,5 dB, 40-4500 Hz, 4+4 ohm, 2+2 ohm avail.		Unit	€	170,00	1
	HWB160	Ceramic	Woofer	6,5"- 165 mm, V.C.32 mm, 160 W, 91 dB, 45-5000 Hz, 8 ohm 4 ohm avail.		Unit	€	118,00	1
	HW172	Ceramic	Woofer	7"- 180 mm, V.C.32 mm, 180 W, 90 dB, 45-6000 Hz, 8 ohm		Unit	€	113,00	6
	CW169	Ceramic	Woofer	6,5"- 165 mm, V.C.32 mm, 180 W, 90 dB, 40-5000 Hz, 4 ohm		Unit	€	97,00	6
	CW162	Ceramic	Woofer	6,5"- 165 mm, V.C.38 mm, 200 W, 91 dB, 55-2000 Hz, 4 ohm		Unit	€	96,00	6
	HW162	Ceramic	Woofer	6,5"- 165 mm, V.C.32 mm, 180 W, 90 dB, 45-6000 Hz, 8 ohm		Unit	€	85,00	6
	HW161N	Ceramic	Woofer	6,5"- 165 mm, V.C.32 mm, 180 W, 90 dB, 40-5000 Hz, 8 ohm 4 ohm avail.		Unit	€	76,00	6

6,5" WOOFER cont.									
NEW	HWL160	Ceramic	Woofer	6,5"- 165 mm, V.C.25 mm, 160 W, 91,5 dB, 40-6000 Hz, 8 ohm		Unit	€	56,00	6
	HW159	Ceramic	Woofer	6,5"- 165 mm, V.C.25 mm, 150 W, 90 dB, 55-6000 Hz, 8 ohm		Unit	€	56,00	6
5" WOOFER									
	HWG130	Ceramic	Woofer	5"- 130 mm, V.C.38 mm, 260 W, 88 dB, 45-10000 Hz, 8 ohm,	4 ohm avail.	Unit	€	157,00	1
	HWB130	Ceramic	Woofer	5"- 130 mm, V.C.32 mm, 160 W, 89 dB, 55-7000 Hz, 8 ohm	4 ohm avail.	Unit	€	108,00	1
	HW131	Ceramic	Woofer	5"- 130 mm, V.C.32 mm, 180 W, 89 dB, 60-8000 Hz, 8 ohm	4 ohm avail.	Unit	€	55,00	6
NEW	HWL130	Ceramic	Woofer	5"- 130 mm, V.C.25 mm, 160 W, 90,5 dB, 40-9000 Hz, 8 ohm		Unit	€	42,00	6
	HW129	Ceramic	Woofer	5"- 130 mm, V.C.25 mm, 150 W, 89 dB, 60-6000 Hz, 8 ohm		Unit	€	42,00	6
4" WOOFER									
NEW	HWL100	Ceramic	Woofer	4"- 100 mm, V.C.25 mm, 160 W, 89 dB, 70-10000 Hz, 8 ohm		Unit		A venir	12
	HW100	Ceramic	Woofer	4"- 100 mm, V.C.25 mm, 150 W, 88 dB, 75-8000 Hz, 8 ohm		Unit	€	48,00	12
PASSIVE RADIATORS									
NEW	HPB200	-	Passive Radiator	8"- 200 mm - Sintonizzabile		Unit		A venir	12
NEW	HPB160	-	Passive Radiator	6,5"- 165 mm - Sintonizzabile		Unit		A venir	12
FULL-RANGE									
NEW	HXB138	Ceramic	Full-range	5"- 130 mm, V.C.25 mm, 150 W, 88 dB, 50-20000 Hz, 8 ohm		Unit		A venir	12
MIDRANGE									
NEW	HMB165	Ceramic	Midrange	6,5"- 165 mm, V.C.32 mm, 180 W, 92 dB, 90-6000 Hz, 8 ohm		Unit		A venir	8
NEW	HMB135	Ceramic	Midrange	5"- 130 mm, V.C.25 mm, 150 W, 91 dB, 100-10000 Hz, 8 ohm		Unit		A venir	7
	HM130	Ceramic	Midrange	5"- 130 mm, V.C.25 mm, 150 W, 91 dB, 350-8000 Hz, 8 ohm		Unit	€	56,00	6
	HM100	Ceramic	Midrange	4"- 100 mm, V.C.25 mm, 150 W, 88 dB, 150-8000 Hz, 8 ohm		Unit	€	47,00	12
	HM087	Ceramic	Midrange	3,5"- 87 mm, V.C.20 mm, 90 W, 89 dB, 150-10000 Hz, 8 ohm		Unit	€	31,00	12
	HM500	Ceramic	Dome Midrange	2"- 50 mm, V.C.50 mm, 200 W, 91 dB, 700-5000 Hz, 8 ohm		Unit	€	107,00	6
HF FERRITE TWEETER									
	HT080	Ceramic	Cone Tweeter	3"- 80 mm, V.C.14 mm, 90 W, 92 dB, 500-20000 Hz, 8 ohm		Unit	€	23,00	12
	HT050	Ceramic	Cone Tweeter	2"- 50 mm, V.C.14 mm, 90 W, 91 dB, 500-20000 Hz, 8 ohm		Unit	€	25,00	12
	PT383	Ceramic	Dome Tweeter	1,5"- 38 mm, V.C.38 mm, 300 W, 94 dB, 1500-20000 Hz, 8 ohm		Unit	€	83,00	6
	HTB326	Neo	Dome Tweeter	1 1/4"- 32 mm, V.C.32 mm, 300 W, 93,5 dB, 2000-20000 Hz, 8 ohm		Unit	€	125,00	12
	HTB260	Ceramic	Dome Tweeter	1"- 26 mm, V.C.26 mm, 200 W, 91 dB, 1800-20000 Hz, 8 ohm		Unit	€	113,00	12
	HT269	Ceramic	Dome Tweeter	1"- 26 mm, V.C.26 mm, 200 W, 90 dB, 2000-20000 Hz, 8 ohm		Unit	€	73,00	12
	HT264	Ceramic	Dome Tweeter	1"- 26 mm, V.C.26 mm, 250 W, 92 dB, 2000-20000 Hz, 8 ohm	4 ohm avail.	Unit	€	71,00	12
	HT263	Ceramic	Dome Tweeter	1"- 26 mm, V.C.26 mm, 200 W, 91 dB, 2000-20000 Hz, 8 ohm		Unit	€	58,00	12
	HT261	Ceramic	Dome Tweeter	1"- 26 mm, V.C.26 mm, 200 W, 90 dB, 2000-20000 Hz, 8 ohm		Unit	€	56,00	12
	HT262	Ceramic	Dome Tweeter	1"- 26 mm, V.C.26 mm, 200 W, 90 dB, 2000-20000 Hz, 8 ohm	4 ohm avail.	Unit	€	53,00	12
	HT259	Ceramic	Dome Tweeter	1"- 26 mm, V.C.26 mm, 120 W, 89 dB, 2000-20000 Hz, 8 ohm		Unit	€	38,00	12
	HT200	Ceramic	Dome Tweeter	0,75"- 20 mm, V.C.20 mm, 100 W, 90 dB, 2000-20000 Hz, 8 ohm	4 ohm avail.	Unit	€	48,00	12
CROSSOVERS									
	HF200		Crossover	Crossover 2v. 5kHz 8 Ohm 90W		Pair	€	58,00	12
	HF201		Crossover	Crossover 2v. 5,5kHz 8 Ohm 120W		Pair	€	92,00	12
	HF202		Crossover	Crossover 2v. 150Hz 8 Ohm 90W		Pair	€	98,00	6
	HF210		Crossover	Crossover 2v. 2,7kHz 8 Ohm 120W		Pair	€	102,00	12
	HF301		Crossover	Crossover 3v. 1/5kHz 8 Ohm 150W		Pair	€	175,00	12
	HF310		Crossover	Crossover 3v. 0,3/5kHz 8 Ohm 150W		Pair	€	206,00	12
	HF320		Crossover	Crossover 3v. 0,7/3,5kHz 8 Ohm 300W		Pair	€	194,00	12